

ROGUE VALLEY SEWER SERVICES JACKSON COUNTY, OREGON

RESOLUTION NO. 19-12

SETTING RATES FOR SYSTEM DEVELOPMENT CHARGES

WHEREAS, Section 2.20.230 of the Rogue Valley Sewer Services Code establishes the methodology for calculating system development charges for the collection and trunk sewer systems; and

WHEREAS, Section 2.20.240 of the RVSS Code requires that system development charges be set by resolution of the Board; and

WHEREAS, With the annexation of Shady Cove, RVSS has agreed to adopt Shady Cove's current SDC methodology and rate for residents of Shady Cove; and

WHEREAS, RVSS has completed its annual update of the capital improvement plan;

NOW, THEREFORE, BE IT RESOLVED, that the system development charges for the collection system and trunk sewer systems be established as follows for a single family residence or equivalent:

Collection System Development Charges:

All Areas	700
-----------	-----

Interceptor or Trunk Development Charge:

All Areas	\$500
-----------	-------

Except Eagle Point, White City, and Shady Cove

Eagle Point	\$675
-------------	-------

White City	\$200
------------	-------

Treatment System Development Charge

All Areas except Shady Cove	[rate set by Regional Rate Committee]
-----------------------------	---------------------------------------

Shady Cove	\$1,311
------------	---------

BE IT FURTHER RESOLVED, that system development charges for user classifications other than single family residences be established at a rate proportional to single family residential rate. The proportional rate shall be the same as that established by the Regional Rate Committee for the Regional System Development Charge.

ADOPTED at the Regular Meeting of the Board of Directors of Rogue Valley Sewer Services
this 19th day of June, 2019.

ROGUE VALLEY SEWER SERVICES



Bill Stults, Chairman
Board of Directors

COUNTERSIGNED:



Carl Tappert, Manager